

## **RWD-1905-1 ventilator truck**

Overall dimensions: width 540mm, depth 682mm, height 635mm

Surface material: Aluminum alloy

Base material: Q235 steel + medical ABS plastic

Body weight: 17.5KG

Column material: Thickened 6063 aviation aluminum alloy (wall thickness 4mm)

Aluminum alloy humidifier pendant

Casters: 5 "medical double row silent wheels (4 with brakes)

Oxygen cylinder diameter  $\leq 142\text{mm}$



## **RWD-1905-2 ventilator truck**

Overall dimensions: width 540mm, depth 682mm, height 1060mm

Base material: Q235 steel + medical ABS

Ergonomic handle: Medical ABS

Body weight: 20.7KG

Oxygen cylinder diameter  $\leq 142\text{mm}$

The left and right sides of the table support clamped breathing catheter arms

Aluminum alloy humidifier pendant

Storage basket size: length 300mm, width 180mm, height 150mm

Column material: Thickened 6063 aviation aluminum alloy (wall thickness 4mm)

Casters: 5-inch medical two-row silent wheels (four with brakes)



## **RWD-1905-4 Multi-function vehicle**

Overall dimensions: width 540mm, depth 740mm, height 1415mm

Table practical size: width 485mm, depth 405mm,

Table height 1000mm from ground (customizable)

Handle integrated worktop: medical ABS plastic, streamlined concave anti-leakage design,

Seamless injection molding, simple and generous

Base material: Q235 steel + medical ABS plastic

Body weight: 45KG

Column material: Thickened 6063 aviation aluminum alloy (wall thickness 4mm)

Constant force lifting display rack: adjustable bearing capacity 1-8KG, lifting stroke 90mm,

Support left and right pitch adjustment,

Installation hole spacing 75 x 75 and 100 x 100

Sheet metal equipment plate (can be customized) : width 470mm, depth 405mm,

The height can be adjusted arbitrarily on the column

Casters: 4-inch medical two-row silent wheels (front two with brakes)

Hoisting semi-open sheet metal drawer: internal dimensions 380mm wide, 320mm deep, 105mm high

Oxygen cylinder diameter  $\leq 142\text{mm}$

Optional custom pendant: storage basket, hook, camera bracket, universal display arm,

Strip, power module, humidifier pendant, etc.



## **RWD-1905-5 Simple medical vehicle**

Overall dimensions: width 540mm, depth 740mm, height 1315mm

Table practical size: width 485mm, depth 405mm,

Table height 900mm (customizable)

Handle integrated worktop: medical ABS plastic, streamlined concave anti-leakage design,

Seamless injection molding, simple and generous

Base material: Q235 steel + medical ABS plastic

Body weight: 25KG

Column material: Thickened 6063 aviation aluminum alloy (wall thickness 4mm)

Constant force lifting display rack: adjustable bearing capacity 1-8KG, lifting stroke 90mm,

Support left and right pitch adjustment,

Installation hole spacing 75 x 75 and 100 x 100

Casters: 4-inch medical two-row silent wheels (front two with brakes)

Optional addition: probe hanger, sharp tool box, storage basket, hook hook, infusion hanger,

Customizable pallets, etc.



## RWD-1905-6 Computer car

Overall dimensions: width 565mm, depth 740mm, height 1365mm

Table practical size: width 485mm, depth 405mm, table height from the ground 950mm

Handle integrated worktop: medical ABS, streamlined concave anti-leakage design,

Seamless injection molding, simple and generous

Base material: Q235 steel + medical ABS

Body weight: 32KG

Column material: Thickened 6063 aviation aluminum alloy (wall thickness 4mm)

Constant force lifting display rack: adjustable bearing capacity 1-8KG, lifting stroke 90mm,

Support left and right pitch adjustment, mounting hole spacing  $75 \times 75$  and  $100 \times 100$

Sheet metal equipment plate (can be customized) : width 470mm, depth 405mm,

The height can be adjusted arbitrarily on the column

Casters: 4-inch medical two-row silent wheels (front 2 with brakes)

Self-priming keyboard pull-out board, support left and right hand operation

Optional: Display universal rocker arm (bearing 1-8KG), mouse rack, winding rack,

Socket, main frame, camera stand, printer tray, storage basket, etc.



## RWD-1905-7All-in-onemachine trolley

Overall dimensions: width 540mm, depth 740mm, height 1365mm

Table practical size: width 485mm, depth 405mm, table height from the ground 950mm

Handle integrated worktop: medical ABS plastic, streamlined concave anti-leakage design,

Seamless injection molding, simple and generous

Base material: Q235 steel + medical ABS plastic

Body weight: 40KG

Column material: Thickened 6063 aviation aluminum alloy (wall thickness 4mm)

Constant force lifting display rack: adjustable bearing capacity 1-8KG, lifting stroke 90mm,

Support left and right pitch adjustment, mounting hole spacing  $75 \times 75$  and  $100 \times 100$

Sheet metal plate (customizable) : width 470mm, depth 405mm, height can be adjusted on the column

Casters: 4-inch medical two-row silent wheels (front two with brakes)

Optional storage basket, insert bar, main frame, winding frame, power support, etc

Optional full self-priming drawer box (mounted or mounted)

1. Single-layer drawer box (hoisting/seating) :

1. (ABS plastic drawer board) Outer dimension width 483mm, depth 343mm, height 220mm

2. (Sheet metal drawer board) Outer dimensions 480mm wide, 340mm deep, 210mm high

Two, double drawer box (with lock/lifting/seat) :

1. (ABS plastic drawer board) Outer dimension width 483mm, depth 343mm, height 325mm

2. (Sheet metal drawer board) Outer dimensions 480mm wide, 340mm deep, 295mm high



## **RWD-1905-8 Infusion workstation trolley**

Overall dimensions: width 540mm, depth 678mm, height 1720mm

Infusion pump plate size: width 280mm, depth 140mm, table height from the ground 595mm

Equipment hanging column: Hanging column diameter 25mm, solid aluminum material, length 850mm

Base material: Q235 steel + medical ABS plastic

Body weight: 22.6KG

Column material: Thickened 6063 aviation aluminum alloy (wall thickness 4mm)

Ergonomic handle: made of medical ABS plastic and silicone

Rotary infusion bottle hanger: sheet metal process, can be customized

Power strip: 8 socket, rated voltage 220V-250V, 50-60Hz,

Rated current 10A, rated power 2500W.

Casters: 4-inch medical two-row silent wheels (front two with brakes)

Optional custom pendant: storage basket, monitor tray



## RWD-1905-9 Urology trolley

Overall dimensions: width 715mm, depth 755mm, height 1415mm

Table practical size: width 485mm, depth 405mm, table height from ground 980mm (can be customized)

Handle integrated worktop: medical ABS plastic, streamlined concave anti-leakage design,

Seamless injection molding, simple and generous.

(Sheet metal worktops can be customized)

Sheet metal worktops can be customized

Base material: Q235 steel + medical ABS plastic

Body weight: 48KG

Column material: Thickened 6063 aviation aluminum alloy (wall thickness 4mm)

Customizable opening of internal cable post

Constant force lifting display rack: adjustable bearing capacity 1-8KG, lifting stroke 90mm,

Support left and right pitch adjustment, mounting hole spacing  $75 \times 75$  and  $100 \times 100$

(Optional universal rocker arm display mount)

3 layers of sheet metal plate (customizable) : width 430mm, depth 450mm, each layer height can be customized

Casters: 4-inch medical two-row silent wheels (front two with brakes)

Hoisting semi-open sheet metal drawer: internal dimensions 380mm wide, 320mm deep, 60mm high

Optional custom pendant: mouse hanger, storage basket, winding rack,

Camera bracket, strip, power bracket, etc.





## **RWD-1801-3 Flat plate color super car**

Dimensions: Length 530mm\* Width 520mm\* height 1680mm

Working surface: length 450mm\* width 300mm

Mechanical arm: length 1160mm folding Angle 360 "bending  
Angle 60

Weight :18.5KG

Surface material: Aviation grade aluminum alloy

Base material: one molding all cast aluminum

Column material: medical grade aviation aluminum alloy

Caster design :4 inch medical grade silent wheel, foot brake



## **RWD-1803-2 Notebook trolley**

Dimensions: Length 530mm\* Width 520mm\* height 850mm(table distance from ground)

Working surface: length 445mm\* width 410mm

Auxiliary table size: length 210mm\* width 200mm

Keyboard seat size: length 440mm\* width 250mm

Weight :21KG

Surface material: Aviation grade aluminum alloy

Base material: one molding all cast aluminum

Column material: medical grade aviation aluminum alloy

Lifting mode: pneumatic rod

Lifting size: table lifting size 200mm

Caster design :4 inch medical grade silent wheel, foot brake

The printer tray can be equipped with HP p1106 printer



## RWD-JH8852 flat bracket trolley

Dimensions: Width 475mm\* depth 520mm\* table height 950mm from the ground

All-aluminum flat stand with key anti-theft function

1. Silicone anti-slip and anti-scratch design to protect tablet equipment
2. The chuck and the vertical bar can be rotated 360 degrees, and the horizontal screen and vertical screen can be turned over from multiple angles
3. Support 7-13 inch tablets
4. Jig adjustment range: 0-5cm

Surface material: Q235 steel (surface powder painting process)

Weight: 11KG

Base material: high strength glass fiber nylon

Column material: 6063 aviation aluminum alloy (surface spray paint process)

1. ABS storage basket
2. Wire storage baskets
3. Cable mounting support
4. Alcohol box
5. Small device placement box can be customized



### **RWD-A1700Gastroscopy/Arthroscopy/uroscopytrolley**

Overall size of the cart: length 540mm\* width 600mm\* height 1370mm

Arm hanging shaft: medium 34\*200mm  
(304 stainless steel)

Push table: length 540mm\* width 600mm  
(Medical grade ABS plastic)  
every

Layer: length 400mm\* width 410mm  
(Medical grade ABS plastic)

Three layers of partition can slide flexibly within 930mm, can be placed each

Species vary in size; Equipment of varying heights.

Self-priming drawer: Inner diameter length 330mm\* width 290mm\* height 60mm

Built-in compartment for different medical accessories and items

Mute Casters: Medium 125mm mute five-inch casters

Rear baffle: designed with heat dissipation strip can fully ensure the operation of equipment  
(cold rolled steel plate)

At the end of

Seat: Using cast iron material, the double bridge design is stable and beautiful



### **RWD-JH8853-1Generalpurposeinfusionpumptruck**

Dimensions: Length 510\* width 465\* height 1830

The installation column diameter is 25mm

Storage frame size: length 300mm\* Width 180mm\* height 150mm

Machine weight :16KG

Base material :ABS medical grade plastic

Column material: medical grade aviation aluminum alloy

Installation column material: aviation grade aluminum alloy

Caster design :3 inch medical grade silent wheel, foot brake

Rated voltage :220V six power plug module



## **RWD-JH8852-510S ventilator truck**

Dimensions: Width 510mm\* height 1000mm(table distance from ground)

Storage frame size: length 300mm\* Width 180mm\* height 150mm

Work surface: can be customized installation surface


Weight :9.2KG

Base material: one molding all cast aluminum

Column material: medical grade aviation aluminum alloy

Handle material: aviation grade aluminum alloy

Caster design :3 inch medical grade silent wheel, foot brake



### **RWD-A1701Gastroscopy/Arthroscopy/uroscopytrolley**

Overall size of the cart: length 600mm\* width 680mm\* height 1300mm

Monitor support arm: The monitor support arm has no constant force

Height 410MM load-bearing 20KG(medical grade aviation aluminum alloy)

Push table: length 465mm\* width 290mm

every

Layer: Length 465mm\* width 420mm

Three layers of dividers can be customized in height for easy placement of various sizes

Different: Devices of varying heights.

Mute Casters: Medium 125mm mute five-inch casters

At the end of

Seat: Using the stamping process, the column is embedded in the base cart more stable



## **RWD-1801-2 General purpose flat car**

Dimensions: Length 530mm\* Width 520mm\* height 730mm(table distance from ground)

Working surface: length 520mm\* width 470mm

Weight :20.8KG

Surface material: Aviation grade aluminum alloy

Base material: one molding all cast aluminum

Column material: medical grade aviation aluminum alloy

Lifting mode: pneumatic rod

Lifting size: table lifting size 200mm

Caster design :4 inch medical grade silent wheel, foot brake

The printer tray can be equipped with HP p1106 printer





### **RWD-JH8852-3 breathing machine truck**

Overall dimensions: width 550mm, depth 550mm, height 1400mm

Surface material: Aluminum alloy or Q235 steel

Table: According to the ground height 900mm

Base material: die-cast aluminum or high strength glass fiber nylon

Body weight: 9.5KG

Column material: 6063 aviation aluminum alloy

Aluminum alloy humidifier pendant

Wire storage basket size: 300mm\*180mm\*150mm

Casters: 3-inch medical double-row silent wheels (3 with brakes)



### **RWD-JH8852-4 Tablet computer trolley**

Dimensions: Width 510mm\* height 830mm

Working table: length 210mm\* width 200mm

Weight :8.3KG

Surface material: Aviation grade aluminum alloy

Base material: one molding all cast aluminum

Column material: medical grade aviation aluminum alloy

Handle material: one molding all cast aluminum

Lifting mode: manual lifting

Lifting size :200mm

Caster design :3 inch medical grade silent wheel, foot brake



### **RWD-JH8852-1 monitor trolley**

Overall dimensions: width 550mm, depth 550mm, height 900mm

Surface material: Aluminum alloy or Q235 steel

Table: According to the ground height 900mm

Base material: die-cast aluminum or high strength glass fiber nylon

Body weight: 7KG

Column material: 6063 aviation aluminum alloy

Ergonomic handle: Medical ABS silicone handle

Size of storage basket with hook: length 337mm, width 208mm, height 147

Casters: 3-inch medical double-row silent wheels (3 with brakes)



## **RWD-JH8852-2 Simple notebook trolley**

Dimensions: Length 470mm\* Width 450mm\* height 860mm(table distance from ground)

Working surface: length 470mm\* width 450mm

Storage frame size: length 290mm\* Width 150mm\* height 170mm

Weight :10.6KG

Surface material: Aviation grade aluminum alloy

Base material: one molding all cast aluminum

Column material: medical grade aviation aluminum alloy

Handle material: one molding all cast aluminum

Caster design :3 inch medical grade silent wheel, foot brake



## **RWD-JH8852-5 Color super car**

Dimensions: Width 510mm\* height 830mm

Working surface: length 430mm\* width 415mm

Storage box size: length 270mm\* Width 140mm\* height 720mm

Weight :8.3KG

Surface material :5mm6061 aluminum alloy

Base material: one molding all cast aluminum

Column material: medical grade aviation aluminum alloy

Handle material: one molding all cast aluminum

Caster design :3 inch medical grade silent wheel, foot brake



## **RWD-JH8852-6 General purpose car**

Dimensions: Width 510mm\* height 900mm

Working table: length 380mm\* width 325mm

Storage basket: length 300mm\* Width 180mm\* height 150mm

Weight :8.3KG

Surface material: medical grade aluminum alloy

Base material: one molding all cast aluminum

Column material: medical grade aviation aluminum alloy

Handle material: one molding all cast aluminum

Caster design :3 inch medical grade silent wheel, foot brake



## **RWD-JH8853-2 ultrasonic trolley**

Overall dimensions: width 660mm, depth 550mm, height 785mm

The actual size of the table: width 450mm, depth 460mm

Surface material: Aluminum alloy or Q235 steel

Table height: 780mm from the ground

Base material: die-cast aluminum or high strength glass fiber nylon

Body weight: 16KG

Column material: 6063 aviation aluminum alloy

Handle material: integrated molding all cast aluminum

Storage basket size with hook: length 337mm, width 208mm, height 147mm

Casters: 3-inch medical double-row silent wheels (4 with brakes)

